

The Coordinator's Activity Report

Season: W15

Period : 25th October 2015 – 26th March 2016

Performed by:

Slot Coordination Czech Republic

Table of contents:

1. Introduction

General information and general comments regarding the coordination process

2. Coordination Parameters

A) Reference season

- a) Runway
- b) Terminal
- c) Others

B) Forthcoming season

- a) Runway
- b) Terminal
- c) Others

3. Additional parameters

- a) Curfew
- b) Allotment for PSO
- c) Allotment for GA/BA
- d) Local rules

4. Coordination Process

A) Initial allocation (IA)

- a) Requested slots
 - Historic
 - New entrant
 - Re-timed
 - New incumbent
- b) Allocated slots
 - Historic
 - New entrant
 - Re-timed
 - New incumbent
 - i) As requested
 - ii) Offers
 - iii) Reason for not satisfying
- c) Outstanding requests
- d) Slot pool
 - Before initial allocation
 - After initial allocation

B) Slot Return Deadline (SRD)

- a) Allocated slots
- b) Slot pool

C) End of Season (EoS)

- a) Allocated slots incl. GA/BA

D) Graphics / Histograms

- Initial Allocation
- SRD
- Compare
- Main carriers
 - Capacity
 - Demand
 - Allocated

5. Slot mobility

- a) transfers/exchanges

6. Monitoring Report

- a) Slot misuse
- b) Late handback
- c) Sanctions
- d) Exemptions 14.1

7. Coordination Committee

- a) minutes
- b) constitution

8. Conclusions

1. Introduction

This report contains the general total data for W15 season. Time UTC.

This report refers to Vaclav Havel Airport Prague.

It is Level 3 airport, IATA/ICAO: PRG/LKPR

The coordination software used: **Score, ver. 6.10.3.32**

The online coordination is in use.

The coordination process is conducted in full compliance with EU Reg. 95/93, 793/2004, IATA Worldwide Scheduling Guidelines, IATA Standard Schedules Information Manual and Czech Law, which says that Slot Coordination Czech Republic is delegated to achieve of Coordination function according to decision of the Civil Aviation Authority Czech Republic in accordance with the paragraph No.32, part 1 and 2 of Law No. 49/1997, about Civil Aviation and in accordance with Law No. 455/1991.

2. Coordination parameters

A) Reference season – W15

a) Runway

The runway system is formed by a pair of runways crossing each other approximately in the shape of a letter T. There are side runways for fast detouring in both directions of RWY 06/24.

Main RWY 06/24 measuring 3715m in length is in the direction 24 equipped for a precision approach of Category III B and in the direction 06 for the precision approach of Category I.

Secondary RWY 12/30 measuring 3250m in length is in both directions equipped for the precision approach of Category I. Operations on RWY 12/30 are significantly limited by noise restrictions.

The overall maximum hourly capacity equals to 46 aircraft movements per hour, respectively 33 arrivals and 33 departures. Upon a five-minute coordination period, the maximum number of aircraft equals to 3 arrivals and 3 departures.

Movements on RWY from 05:00 to 20:55 UTC

5 minute-period	Arrivals	3 arrivals
	Departures	3 departures
60 minute-period	Arrivals	33 arrivals
	Departures	33 departures
	Total	46 movements

Night noise restrictions from 21:00 to 04:55 UTC

(Number of take-offs and landings in line with the Bonus List upon compliance with the stipulated noise limit of 48 movements during the night period)

Table of counts of allowed movements in individual time periods

time/periods (UTC)		5 min.		60 min			120 min	240 min
from	until	arr	dep	arr	dep	total	total	
0000	0355	3	3					8
0400	0455					8		
0500	2055			33	33	46		
2100	2255						28	
2300	2355					4		

RWY closure (maintenance, repair and reconstruction)

No RWY closure during W15.

b) Terminal

The operation at all airport terminals is fully coordinated for the entire season in accordance with the limitations applied to flights to/from the Schengen states:

Terminal T1 – flights to/from countries outside of the Schengen area

Terminal T2 – flights to/from countries within the Schengen area

Terminal T3 – General and Business Aviation Terminal

GATES

- T1: 21 GATES
- T2: 27 GATES
- T3: 1 GATE

Departing PAX

- T1: 2100 passengers (limiting factor - passport control)
- T2: 2100 passengers (limiting factor – security control)
- T3: 60 passengers (limiting factors – gate, security control)

Arriving PAX

- T1: 2100 passengers (limiting factor - passport control)
- T2: 3500 passengers (limiting factor – baggage claim)
- T3: 120 passengers (limiting factor – baggage claim)

Table of apron and terminal capacities

constraints/period			60 min.
Parking stands			58
Terminal 1 non-schengen	gate		21
	PAX flow	arr	2100
		dep	2100
		total	4200
Terminal 2 schengen	gate		27
	PAX flow	arr	3500
		dep	2100
		total	5600
Terminal 3 GA, BA	gate		1
	PAX flow	arr	120
		dep	60
		total	180

c) Others

Aircraft stands

Apron North + East - 58 aircraft stands divided as follows:

- 1 stand for aircraft with wing span up to 80m
- 3 stands for aircraft with wing span up to 65m
- 5 stands for aircraft with wing span up to 52m
- 1 stand for aircraft with wing span up to 45m
- 35 stands for aircraft with wing span up to 36m
- 13 stands for aircraft with wing span up to 29m

Apron South GA/BA – 19 aircraft stands divided as follows:

- 2 stand for aircraft with wing span up to 36m
- 3 stands for aircraft with wing span up to 29m
- 6 stands for aircraft with wing span up to 24m
- 6 stands for aircraft with wing span up to 21,3m
- 2 stands for aircraft with wing span up to 15m

B) Forthcoming season S16

a) Runway

Table of counts of allowed movements in individual time periods

time/periods (UTC)		10 min.			60 min			120 min		
from	until	arr	dep	total	arr	dep	total	total		
0400	1955	6	6	10	33	33	46			
2000	2055									26
2100	2155									
2200	2255									8
2300	2355									
0000	0055									3
0100	0155									
0200	0255									11
0300	0355									

b) Terminal

constraints/period			60 min.
Parking stands			59
Terminal 1 non-Schengen	gate		21
	PAX flow	arr	2100
		dep	2100
		total	4200
Terminal 2 Schengen	gate		27
	PAX flow	arr	3500
		dep	2100
		total	5600
Terminal 3 GA, BA	Parking stands		21
	gate		1
	PAX flow	arr	120
		dep	60
total		180	

c) Others

Aircraft stands

Apron North + East - 59 aircraft stands divided as follows:

- 1 stand for aircraft with wing span up to 80m
- 3 stands for aircraft with wing span up to 65m
- 6 stands for aircraft with wing span up to 52m
- 36 stands for aircraft with wing span up to 36m
- 13 stands for aircraft with wing span up to 29m

Apron South GA/BA – 19 aircraft stands divided as follows:

- 2 stand for aircraft with wing span up to 36m
- 3 stands for aircraft with wing span up to 29m
- 6 stands for aircraft with wing span up to 24m
- 6 stands for aircraft with wing span up to 21,3m
- 2 stands for aircraft with wing span up to 15m

3. Additional Parameters

a) Curfews

Night noise restrictions (*according to AIP of the Czech Republic*)

LKPR AD 2.21 NOISE ABATEMENT PROCEDURES

2.21.1.1 *Aircraft certified in accordance with ICAO Annex 16/I, Part II, Chapter 2 or aircraft without certification in accordance with ICAO Annex 16/I, Part II*

2.21.1.1.1 *Take-offs and landings are not permitted.*

2.21.1.2 *Jet aircraft certified in accordance with ICAO Annex 16/I, Part II, Chapter 3 and propeller-driven aircraft certified in accordance with ICAO Annex 16/I, Part II, Chapter 5*

2.21.1.2.1 *Take-offs and landings of aircraft with MTOW more than 45 t, except aircraft included in Bonus list, are not permitted from 2100 (2000) to 0500 (0400).*

2.21.1.2.1.1 *Aircrafts included in Bonus list, take-offs and landings from 2100 (2000) to 0500 (0400) are permitted only within the scope of noise quota for night operations. Moreover the aircraft shall meet criteria for inclusion to noise category 1 or 2 according to GEN 4.1.1.4. If the aircraft does not meet criteria for noise category 1 or 2 noise charge rate will be determined according to GEN 4.1.1.4.4.*

2.21.1.2.2 *Take-offs and landings of aircraft with MTOW less or equal to 45 t are permitted only from 2100 (2000) to 0500 (0400) within the scope of noise quota for night operations providing that they meet criteria for inclusion to noise category 1 or 2 in accordance with GEN 4.1.1.4. If the aircraft does not meet criteria for noise category 1 or 2 noise charge rate will be determined according to GEN 4.1.1.4.4*

2.21.1.2.3 *Only the aerodrome operator can decide inclusion of new type of aircraft to bonus list based on aircraft operator request. The aircraft operator shall append the documents according to GEN 4.1.1.4 to the request. The request shall be send to address according to GEN 4.1.1.4.5.*

BONUS LIST (aircraft according to IATA code)

141, 142, 143, 146, 14F, 14X, 14Y, 14Z, AB6, 318, 319, 320, 321, 32A, 32B, 32C, 32D, 332, 333, 342, 343, 345, 346, 380, 733, 734, 735, 736, 738, 739, 73C, 73E, 73G, 73H, 73J, 73W, 752, 753, 75M, 75T, 75W, 763, 764, 76W, 772, 773, 77L, 77W, 783, 788, 789, AR1, AR7, AR8, ARJ, E90, E95

b) Allotment for PSO

– Not applicable

c) Allotment for GA/BA

– Not applicable

d) Local Rules

All flights operating at Praha/Ruzyne Airport, and whatever their changes (except emergency landing, flights connected with human life saving, search and rescue flights) the slots for arrival and departure shall be requested before realization of flight from the airport coordinator.

It is not applied to VFR flights of helicopters with MTOW up to 3000 kg including.

The slot request submission

The requests for slots shall be submitted at least 24 hours before intended arrival/departure time to/from Praha/Ruzyne airport. In case of technical landing, technical flight, test or training flight, military or state aircraft it is possible to submit the request at least 1 hour before intended time of arrival/departure to/from Praha/Ruzyne airport. In case of medical flight, "General Aviation" or "Business Aviation" flight it is possible to submit the request at least 30 minutes before intended time of arrival/departure to/from Praha/Ruzyne airport. Time of receipt of the request message by the airport co-ordinator is determinant in these cases.

Submission of request for change of slots


For flights for purpose of passenger transport (scheduled, complementary and planned charter flights), scheduled cargo flights and scheduled post service flights (not ad hoc flights) it is not required to request change of slot if the delay time does not exceed 120 minutes together with not exceeding 24:00 LT of the operational day.

4. Coordination process

A) Initial allocation (IA)


a) Requested slots

REQUESTED SLOTS	
TOTAL SLOTS	49007
HISTORICS	21279
NEW ENTRANT	928
RETIMED	13504
NEW	13296



d) Allocated slots

ALLOCATED SLOTS		
TOTAL SLOTS		49007
HISTORICS	AS REQ	20164
	OFFER	1115
NEW ENTRANT	AS REQ	723
	OFFER	205
RETIMED	AS REQ	13084
	OFFER	420
NEW	AS REQ	11940
	OFFER	1356



The reason for not satisfying the request:

In all cases there is RWY movement's limitation that results in not satisfying the slot requests.

e) Outstanding requests


No outstanding requests for W15.

f) Slot pool


The slot capacity for W15 was calculated for total of 120736 slots available.

Only RWY movement constraint was considered for the slot capacity calculation, although there are two other limiting factors we take into account otherwise (parking stand constraint and passenger terminal constraint).

SLOT CAPACITY W15	120736
HISTORIC SLOTS ALLOCATED	21279
SLOTPOOL	99457




SLOT CAPACITY W15	120736
INITIAL ALLOCATION	49007
SLOTS AVAILABLE	71729



B) Slot Return Deadline (SRD)


a) Allocated slots

ALLOCATED SLOTS		
TOTAL SLOTS		43677
HISTORICS	AS REQ	16877
	OFFER	2032
NEW ENTRANT	AS REQ	413
	OFFER	197
RETIMED	AS REQ	12295
	OFFER	393
NEW	AS REQ	8523
	OFFER	2947




b) Slot pool

SLOT CAPACITY W15	120736
HISTORIC SLOTS ALLOCATED	18909
SLOTPOOL	101827




SLOT CAPACITY W15	120736
SRD SLOT ALLOCATION	43677
SLOTS AVAILABLE	77059



C) End of Season (EoS)


SLOT CAPACITY W15	120736
ALLOCATED SLOTS incl.GA/BA	46183
AVAILABLE SLOTS	74553




D) Graphics/ Histograms

Comparison of the Initial Allocation (IA) and Slot Return Deadline (SRD)

INITIAL ALLOCATION	W15
SLOT CAPACITY	120736
REQUESTED SLOTS	49007
ALLOCATED SLOTS	49007




SRD	W15
SLOT CAPACITY	120736
REQUESTED SLOTS	43677
ALLOCATED SLOT	43677



Development of the main carriers

(Top 10 carriers as per the slot utilization at the EoS)

MAIN CARRIERS	EoS	SRD	IA
OK	10141	11038	12235
EZY/EZS	3161	2976	3520
LH	2281	2340	2420
QS	1844	2711	3204
SU	1536	1532	1532
OS	1299	1370	1408
FR	1275	1276	1276
BA	1157	1158	1188
KL	1152	1156	1540
EW/4U	1110	1124	1212



5. Slot mobility

No transfers or exchanges under Art. 10.8. were performed within W15 season.

6. Monitoring report

- a) Slot misuse - no records for W15 season.
- b) Late handback - no records for W15 season.
- c) Sanctions - no records for W15 season.
- d) Exemptions 14.1 - no records for W15 season.

Minor violation of the slot policy resulted only in warning given to the air carrier.

7. Coordination committee

The Coordination Committee has been established to advise and assist to the coordinator to carry out the following tasks in accordance with the requirements of the Law No. 49/1997 issued by the Ministry of Transport of the Czech Republic.

Its existence covers:

- examination of the possibilities to increase the currently determined capacity of the airport,
- determination of the ways of achieving a better utilisation of the capacity available,
- monitoring of the usage of the slots allocated.

The members of the Coordination Committee of the Prague Airport:

- Airline Operators Committee (AOC)
- Air Traffic Control
- Prague Airport
- Menzies Aviation Group
- Czech Airlines
- Travel Service
- ABS Jets
- Silver Air

Main topic for the meeting of the Coordination Committee was the airport capacity presentation for W15 season. Offered capacities were approved by all the members.

8. Conclusions

This report provides the requested information and statistics for Vaclav Havel Airport Prague (PRG/LKPR) for season W15. It has been created by Slot Coordination Czech Republic for the next possible usage by DG Move.

Should you require more Information, do not hesitate to contact us at:

Slot Coordination Czech Republic

Airport Praha Ruzyne

P.O.Box 67

Aviatická 12

160 08 Prague 6

e-mail: slot.coord@prg.aero

WEB www.slot-czech.cz